

14 July 2023

IC-238482-N3C2

Request

You asked us:

"I am writing to request the following information relating to the advice given by the Information Commissioner's Office to the Cabinet Office's Rapid Response Unit:

A copy of the advice issued to the RRU by the Information Commissioner's Office in September 2021

A copy of any recommendations for changes to practice issued with this advice

A copy of any evaluation or similar of how successful the implementation of any recommendations was"

We received your request on 15 June.

We have handled your request under the Freedom of Information Act 2000 (the FOIA).

Our response

We do hold some information within the scope of your request. I enclose a copy of a section of a letter which was sent from the ICO to the Cabinet Office on 24 September 2021, which falls within scope of the first two parts of your request. The remainder of this letter is not within the scope of your request. We do not hold any information within scope of the third part of your request.

Next steps

You can ask us to review our response. Please let us know in writing if you want us to carry out a review. Please do so within 40 working days.

You can read a copy of our full review procedure [here](#).

If we perform a review but you are still dissatisfied, you can complain to the ICO as regulator of the FOIA. This complaint will be handled just like a complaint made to the ICO about any other public authority.

You can [raise a complaint through our website](#).

Your information

Our [Privacy notice](#) explains what we do with the personal data you provide to us, and set out your rights. Our retention schedule can be found [here](#).

Yours sincerely



Information Access Team
Strategic Planning and Transformation
Information Commissioner's Office, Wycliffe House, Water
Lane, Wilmslow, Cheshire SK9 5AF
ico.org.uk twitter.com/iconews
Please consider the environment before printing this email
**For information about what we do with personal data
see our [privacy notice](#)**